

Designed by Komplot Design

**PRODUCT**

**COLOURS**

Photo coming soon

Photo coming soon

Photo coming soon

// Black

// Mistletoe Green

Photo coming soon

Photo coming soon

// Moon Grey

// Nightfall Blue

Photo coming soon

Photo coming soon

// Rainy Grey

// Shy Cherry

// White Cloud

// Venetian Gold

Item no.: 21001-3FA-01  
+ style code

**DESCRIPTION**

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

**VERSION - HIREK (PP PLASTIC MATERIAL)**

RAL codes are indicative.

- Black // RAL 9005, silkmatt /
- Venetian Gold // RAL 080 7050 , silkmatt /
- Mistletoe Green // RAL 130 5010, silkmatt /
- Nightfall Blue // RAL 200 7005, silkmatt /
- Rainy Gray // RAL 7031, silkmatt /
- White Cloud // RAL 9001, silkmatt /
- Moon Gray // RAL 085 7010, silkmatt /
- Shy Cherry // RAL 3011, silkmatt /

- Black painted base // RAL 9005, gloss level 10-15
- Chrome base // Mirror chrome

**CHAIR VERSION**

Order item - look for part number in the pricelist.

The series consists of the following:

**GUBI 3FA, GUBI 32FA, GUBI 33FA**

**FACTS**

MEASUREMENT - L X W X H MM

- Sitting height: 650 mm
- Seat width: 401 mm
- Seat depth: 416 mm
- Seat height: 147 mm
- Back height: 163 mm
- Frame width: 390 mm
- Frame depth: 390 mm
- Chair height: 780 mm
- Shell thickness: 5 mm
- Frame thickness: Ø11 mm
- Footrest height: 200 mm

WEIGHT ITEM

xx kg

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H CM

L:44 X W:44 X H:80 CM

WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 1485 g
- Cardboard extra bottom: 272 g
- Polybag PE: 158 g
- LD-EPE foam protector: 44 g
- Strapping: 7 g

WEIGHT PACKAGING - TOTAL

6,851 kg

NUMBER OF PARCELS

1 pcs.


- Defective frame and shells can be replaced.

## ACCESSORIES

---

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE



## CLEANING AND MAINTENANCE

---

For dusting and light cleaning of the plastic surface and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

## ENVIRONMENT

---

Parts can be separated and sorted for recycling.

Disposal of plastic type PP may be done with incineration of waste.

## TESTS

---

-

## CERTIFICATION AND LABELS

---

-

Designed by Komplot Design

## PRODUCT

Photo coming soon

Item no.: 21001-3FA-01  
+ style code

## DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

## VERSION - VENEER

- Blackstained Beech / Chrome base // Gloss level 20-30 / -
- Oak / Chrome base // Gloss level 20-30 / -
- American Walnut / Chrome base // Gloss level 20-30 / -
- Blackstained Beech / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15
- Oak / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15
- American Walnut / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 10-15

## CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

**GUBI 3FA, GUBI 32FA, GUBI 33FA**

## COLOURS

Photo coming soon

Photo coming soon

// Blackstained beech

// Oak

Photo coming soon

// American Walnut

## FACTS

### MEASUREMENT - L X W X H MM

Sitting height: 650 mm  
Seat width: 401 mm  
Seat depth: 416 mm  
Seat height: 147 mm  
Back height: 163 mm  
Frame width: 390 mm  
Frame depth: 390 mm  
Chair height: 780 mm  
Shell thickness: 5 mm  
Frame thickness: Ø11 mm  
Footrest height: 200 mm

### WEIGHT ITEM

XX kg

### PACKAGING TYPE

Cardboard box

### PACKAGING MEASUREMENT - L X W X H CM

L:44 X W:44 X H:80 CM

### WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 1485 g
- Cardboard extra bottom: 272 g
- Polybag PE: 158 g
- LD-EPE foam protector: 44 g
- Strapping: 7 g

### WEIGHT PACKAGING - TOTAL

## ACCESSORIES

---

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE



6,651 kg

NUMBER OF PARCELS

1 pcs.

- Defective frame and shells can be replaced.

## CLEANING AND MAINTENANCE

---

For dusting and light cleaning of the wooden surface and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

## ENVIRONMENT

---

Parts can be separated and sorted for recycling.

## TESTS

---

-

## CERTIFICATION AND LABELS

---

-

Designed by Komplot Design

### PRODUCT



Item no.: 21001-3F-01  
+ style code

### DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

### VERSION - HIREK (PP PLASTIC MATERIAL)

RAL codes are indicative.

- Black // RAL 9005, silkmatt /
- Venetian Gold // RAL 080 7050 , silkmatt /
- Mistletoe Green // RAL 130 5010, silkmatt /
- Nightfall Blue // RAL 200 7005, silkmatt /
- Rainy Gray // RAL 7031, silkmatt /
- White Cloud // RAL 9001, silkmatt /
- Moon Gray // RAL 085 7010, silkmatt /
- Shy Cherry // RAL 3011, silkmatt /

- Black painted base // RAL 9005, gloss level 10-15
- Chrome base // Mirror chrome

### CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

**GUBI 3F, GUBI 32F, GUBI 33F**

### COLOURS



// Black



// Mistletoe Green



// Moon Gray



// Nightfall Blue



// Rainy Gray



// Shy Cherry



// White Cloud



// Venetian Gold

### FACTS

#### MEASUREMENT - L X W X H MM

Sitting height: 750 mm  
Seat width: 401 mm  
Seat depth: 416 mm  
Seat height: 147 mm  
Back height: 163 mm  
Frame width: 420 mm  
Frame depth: 430 mm  
Chair height: 880 mm  
Shell thickness: 5 mm  
Frame thickness: Ø11 mm  
Footrest height: 200 mm

#### WEIGHT ITEM

4,2 kg

#### PACKAGING TYPE

Cardboard box

#### PACKAGING MEASUREMENT - L X W X H CM

L:44 X W:44 X H:80 CM

#### WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 1485 g
- Cardboard extra bottom: 272 g
- Polybag PE: 158 g
- LD-EPE foam protector: 44 g
- Strapping: 7 g

#### WEIGHT PACKAGING - TOTAL

6,851 kg

#### NUMBER OF PARCELS

1 pcs.


- Defective frame and shells can be replaced.

## ACCESSORIES

---

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE



## CLEANING AND MAINTENANCE

---

For dusting and light cleaning of the plastic surface and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

## ENVIRONMENT

---

Parts can be separated and sorted for recycling.

Disposal of plastic type PP may be done with incineration of waste.

## TESTS

---

-

## CERTIFICATION AND LABELS

---

-

Designed by Komplot Design

## PRODUCT



Item no.: 21001-3F-01  
+ style code

## DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

## VERSION - VENEER

- Blackstained Beech / Chrome base // Gloss level 20-30 / -
- Oak / Chrome base // Gloss level 20-30 / -
- American Walnut / Chrome base // Gloss level 20-30 / -
- Blackstained Beech / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 30
- Oak / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 30
- American Walnut / Black painted base // Gloss level 20-30 / RAL 9005, gloss level 30

## CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

**GUBI 3F, GUBI 32F, GUBI 33F**

## COLOURS



// Blackstained beech



// Oak



// American Walnut

## FACTS

### MEASUREMENT - L X W X H MM

Sitting height: 750 mm  
Seat width: 401 mm  
Seat depth: 416 mm  
Seat height: 147 mm  
Back height: 163 mm  
Frame width: 420 mm  
Frame depth: 430 mm  
Chair height: 880 mm  
Shell thickness: 5 mm  
Frame thickness: Ø11 mm  
Footrest height: 200 mm

### WEIGHT ITEM

**XX kg**

### PACKAGING TYPE

Cardboard box

### PACKAGING MEASUREMENT - L X W X H CM

L:44 X W:44 X H:80 CM

### WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 1485 g
- Cardboard extra bottom: 272 g
- Polybag PE: 158 g
- LD-EPE foam protector: 44 g
- Strapping: 7 g

### WEIGHT PACKAGING - TOTAL

## ACCESSORIES

---

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE



6,651 kg

NUMBER OF PARCELS

1 pcs.

*- Defective frame and shells can be replaced.*

## CLEANING AND MAINTENANCE

---

For dusting and light cleaning of the wooden surface and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

## ENVIRONMENT

---

Parts can be separated and sorted for recycling.

## TESTS

---

-

## CERTIFICATION AND LABELS

---

-





