COBRA // WALL LAMP, HARD WIRED, US MODEL

Designed by Greta Grossman

PRODUCT

COLORS

// Jet Black   // Matt white

Item no.: 005-0630
+ style code:
- 1HW: Jet Black
- 5HW: Matt White

DESCRIPTION

The classic Cobra lamp takes its name from the shape of the oval shade, which is reminiscent of a Cobra´s neck (or hood). A solid brass arm joins the wall base and shade. The shade can be tilted 90 degrees from vertical to horizontal and it can be rotated 360 degrees. The base cover and the shade is in powder-coated steel. A bracket for the mounting on the wall is integrated in the base. Switch integrated in the base.

VERSION - COBRA WALL LAMP

- Jet Black / White inside // RAL 9005 / RAL 9003 // Gloss level 20 / Gloss level 20

- Matt white / White inside // RAL 9003 / RAL 9003 // Gloss level 20 / Gloss level 20

VERSION - COBRA WALL LAMP

Order item - look for part number in the pricelist.

Series contains the following:

GM1 GRÄSHOPPA
GM2 COBRA TABLE
GM3 COBRA FLOOR
GRÄSHOPPA TASK TABLE LAMP
GRÄSHOPPA PENDANT
COBRA WALL LAMP

FACTS

MEASUREMENT - *L x W x H inches*
Lamp height: 13,1 inches
Lamp depth: 5,6 inches
Wall base diameter: dia. 6,6 inches
Wall base height: 0,8 inches
Shade height: 3 inches
Shade depth: 11,4 inhces
Cable length, exposed: Approx. 7,9 inches

WEIGHT ITEM - *LAMP INCL. WIRE*
2,7 lb

PACKAGING TYPE
Cardboard box

PACKAGING MEASUREMENT - *L x W x H inches*
L: 14,9 x W: 13,4 x H: 8,3 inches

WEIGHT PACKAGING - *MATERIAL TYPE (recycleable)*
- LD-EPE foam: 4,7 oz
- EPE bag: 0,4 oz
- PE polybag: 0,2 oz
- Cardboard inside: 7,7 oz
- Cardboard outside, 5ply Corrugated: 1,6 lb

WEIGHT INCL. PACKAGING - *TOTAL*
5,2 lb

NUMBER OF PARCELS
1 pcs.

Product Information
1/2

GUBI

ACCESSORIES

-

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

CUL-APPROVED

SAFETY INSTRUCTIONS

If the cord or plug is damaged, unplug it from the socket with dry hands. Do not use the lamp until it is repaired by a qualified Electrician.

Instructions document: No. 53-20-004-01

LIGHT SOURCE:

- Socket: E12 base
- Bulb types recommended:

- Recommended light sources:

Halogen light bulb
- Recommended wattage: 46 W
- Max wattage: 46 W

All fluorescens light bulbs
- Recommended wattage: 15 W
- Max wattage: 15 W

LED retrofit light bulbs
- Recommended wattage: 7 W
- Max wattage: 9 W

- *Max. light out put for above lamps:*
- *800 Lumens ≈ (60WATT incandescent bulbs)*

- All lamps can be fitted with a dimmer -Please contact your local electrician.

- Lightbulb not included

- *US plug: Type A, 2 PIN, 15 amp, (NEMA 1-15)*
- *US voltage: 120 V*
- *Freqvency: 60 Hz*
- *Supply voltage: AC power ~*
- *Normally Closed: IP20*

Class II / Double insulated

Mark for Canada and the U.S.

Luminaires accepted for mounting on a flammable base

Instruction sheet (illustration)

GUBI
Cobra Wall Lamp
005-063xx

BULB REPLACEMENT
• Disconnect the power before replacing bulb.

TROUBLESHOOTING
• If lamp does not light, turn off the power. Check the bulb for a broken filament. Replace bulb if necessary, then turn it on.
• If the lamp still does not light, please contact customer service at the local dealer.
• If the external flexible cable or cord of this lamp is damaged, it must be replaced by a qualified electrician in order to avoid a hazard.

MAINTENANCE
• (Unplug power cord prior maintenance)
• To clean, use a soft cloth only.
• Do not use any chemical or abrasive cleaners.

GUBI A/S
Klubiensvej 7-9 / Pakhus 53
2150 Nordhavn, Copenhagen
Denmark

T: +45 3332 6368
CVR: 17040384
WWW.GUBI.DK

SAFETY INSTRUCTIONS PERTAINING TO RISK OF FIRE, ELECTRIC SHOCK, OR PERSONAL INJURY
WARNING: Lighted bulb gets HOT! Do not touch while on.
CAUTION: Keep lamp away from curtains, bedding linens, and any other flammable materials.
Do not look directly at lighted bulb.
Turn off / unplug and allow lamp to cool before replacing bulb, cleaning or other maintenance.
Do not use in the bathroom or damp places.
CAUTION: TO REDUCE THE RISK OF FIRE, USE MAX. 40 WATT INCANDESCENT, E12, type b bulb,120V 60Hz AC ONLY
Do not exceed recommended wattage.
CAUTION: IMPORTANT LAMP MUST BE INSTALLED BY A QUALIFIED ELECTRICIAN!
PREPARATION: Lamp is attachable directly on the wall.
Shut the power off.

Step 1
1 Loosen screw to release back plate.
2 Place back plate on top of supply cable exit.
3 Attach back plate with screws.

Step 2
4 Connect lamp wires to the supply wires.
Be sure to connect all grounding wires (green) to the same wire nut.

Step 3
5 Tuck wires carefully inside the base of the lamp and place the lamp on the wall bracket.
6 Fasten screw and lock the lamp to the wall. Be careful not to squeeze any wires between the edge of the lamp and the wall as well as inside the lamp base.
7 Place light bulb in lamp and turn the power

53-20-004-01 Mounting instr. Cobra Wall lamp US

COBRA // WALL LAMP, EU MODEL
Designed by Greta Grossman

PRODUCT

Item no.: 005-0610
+ style code:
- 1: Jet Black
- 5: Matt White

COLORS

// Jet Black // Matt white

DESCRIPTION

The classic Cobra lamp takes its name from the shape of the oval shade, which is reminiscent of a Cobra´s neck (or hood). A solid brass arm joins the wall base and shade. The shade can be tilted 90 degrees from vertical to horizontal and it can be rotated 360 degrees. The base cover and the shade is in powder-coated steel. A bracket for the mounting on the wall is integrated in the base. Switch integrated in the base.

VERSION - COBRA WALL LAMP

- Fabric wire - black:
- Jet Black / White inside // RAL 9005 / RAL 9003 // Gloss level 20 / Gloss level 20

'- Fabric wire - white:
- Matt white / White inside // RAL 9003 / RAL 9003 // Gloss level 20 / Gloss level 20

VERSION - COBRA WALL LAMP

Order item - look for part number in the pricelist.

Series contains the following:

GM1 GRÄSHOPPA
GM2 COBRA TABLE
GM3 COBRA FLOOR
GRÄSHOPPA TASK TABLE LAMP
GRÄSHOPPA PENDANT
COBRA WALL LAMP

FACTS

MEASUREMENT - *L x W x H mm*
Lamp height: 333 mm
Lamp depth: 144 mm
Wall base diameter: Ø168 mm
Wall base height: 20 mm
Shade height: 78 mm
Shade depth: 289 mm
Cable length, exposed: Approx. 2500 mm

WEIGHT ITEM - *LAMP INCL. WIRE*
1245 g

PACKAGING TYPE
Cardboard box

PACKAGING MEASUREMENT - *L x W x H cm*
L: 38 x W: 35 x H: 21 cm

WEIGHT PACKAGING - *MATERIAL TYPE (recycleable)*
- LD-EPE foam: 132 g
- EPE bag: 11 g
- PE polybag: 6 g
- Cardboard inside: 217 g
- Cardboard outside, 5ply Corrugated: 748 g

WEIGHT INCL. PACKAGING - *TOTAL*
2359 g

NUMPER OF PARCELS
1 pcs.

⌀168

COBRA // WALL LAMP, EU
Designed by Greta Grossman

ACCESSORIES

Mounting parts included: screw 2pcs (4g), rawlplug 2pcs (1g).

ENVIRONMENT

-

TESTS

-

CERTIFICATION AND LABELS

CE-CERTIFIED

SAFETY INSTRUCTIONS

If the cord or plug is damaged, unplug it from the socket with dry hands. Do not use the lamp until it is repaired by a qualified Electrician.

Bulb requirements:
- Socket: E14 base
- Recommended light source: All fluorescens light bulbs
- Recommended wattage: 9 W
- Max wattage: 13 W
- Recommended light source: Halogen light bulb
- Recommended wattage: 28 W
- Max wattage: 28 W

*Lightbulb not included

*Euro plug: Type C, 2 PIN, 2,5 amp
*Euro voltage: 230 V
*Freqvency: 50 Hz
*Supply voltage: AC power ~
*Normally Closed: IP20

Class II / Double insulated   CE-Mark

Luminaires accepted for mounting on a flammable base

144

20

289

333

⌀168